ELSEVIER

Journal of Power Sources 69 (1997) 227

JOURNAL OF POWER SOURCES

Author Index of Volume 69

Adachi, K., 103
Amatucci, G.G., 11

Besenhard, J.O., 157
Blyr, A., 11
Brandt, K., 145

Carlos, I.A., 37
Carlos, R.M., 37
Caruso, C.S., 37
Christensen, P., 113, 125
Costamagna, P., 1

Dheenadayalan, S., 75

Endres, P., 145

Fiedler, D.A., 157
Fooken, M.H., 157
Fukuda, K., 165

Gozdz, A.S., 11

Hamnett, A., 113, 125
Hirai, T., 89
Hirasawa, K.A., 97
Hirota, H., 89
Hoffman, C.G., 27
Hogarth, M., 113, 125
Huang, Z.T., 81
Hwang, E.R., 55

Ikeya, T., 103
Isono, K., 165
Iwahori, T., 103
Iwasaki, M., 103

Jäger, A., 145
Jiang, L.C., 81
Jiongliang, Y., 47

Kanetsuki, M., 103
Kang, S.G., 55
Kato, N., 89
Kemmler-Sack, S., 145
Kikuya, K., 165
Kim, K., 61
Kim, S.J., 55
Kim, Y.D., 55
Kloß, M., 137
Koura, N., 69
Kousaka, E., 103
Kuk, S.T., 61

Larcher, D., 11
Li, W.S., 81

Mayer, H.A., 145
Mita, Y., 103
Mori, S., 97

Narisoko, H., 103
Nasu, H., 103
Nishioka, K., 97
Nishiyama, K., 103

Ogata, T., 89
Ono, M., 103
Ott, A., 145

Park, J.W., 55
Pattabiraman, R., 75
Phougat, N., 161
Plichta, E.J., 41
Plieth, W., 137
Praas, H.-W., 145

Rahner, D., 137
Ramkumar, R., 75
Rao, G.M., 27

Sakabe, T., 103
Sakaue, T., 69
Sato, T., 97
Schmutz, C.N., 11
Seo, J.J., 61
Shukla, A., 113, 125
Sigala, C., 11
Slane, S., 41
Sugii, Y., 103
Sullivan, R.M., 27

Takagi, S., 103
Tarascon, J.M., 11
Tsuchiya, H., 103

Vasudevan, P., 161

Yada, M., 103
Yamaguchi, S., 97
Yang, H., 169
Yoshio, M., 165
Yunchang, D., 47

Zhaorong, C., 47
Zhou, Y., 169
Zhu, J., 169

Elsevier Science S.A.

ELSEVIER

Journal of Power Sources 69 (1997) 229–231

JOURNAL OF POWER SOURCES

Subject Index of Volume 69

Active materials
a method for evaluating the performance of positive electrode grids of lead/acid batteries, 69
Adhesion
a method for evaluating the performance of positive electrode grids of lead/acid batteries, 69
Alkaline batteries
the effect of alkaline earth titanates on the rechargeability of manganese dioxide in alkaline electrolyte, 137
Alkaline earth titanate
the effect of alkaline earth titanates on the rechargeability of manganese dioxide in alkaline electrolyte, 137
Aluminum substrates
chemical, physical and morphological characterization of the electrodeposited iron fragile layer on aluminum substrate, 37
Anodes
effect of alloying elements on the copper-base anode for molten carbonate fuel cells, 55
Aprotic solvents
conductivity of lithium imide in mixed aprotic solvents for lithium cells, 41

Batteries
preparation of manganese dioxide using Ag^+ ions as an electrocatalyst, 81
rapid electrochemical characterization of battery electrode materials in the solid state, 157
Battery materials
foliated natural graphite as the anode material for rechargeable lithium-ion cells, 165

Carbon
investigation of graphite composite anode surfaces by atomic force microscopy and related techniques, 97
foliated natural graphite as the anode material for rechargeable lithium-ion cells, 165
Charging current
collaborative investigation on charging electic-vehicle battery systems for night-time load levelling by Japanese electric power companies, 103
Charging methods
collaborative investigation on charging electic-vehicle battery systems for night-time load levelling by Japanese electric power companies, 103
Cobalt
cyclic voltammetry response of coprecipitated $Ni(OH)_2$ electrode in 5 M KOH solution, 47
Coprecipitation
cyclic voltammetry response of coprecipitated $Ni(OH)_2$ electrode in 5 M KOH solution, 47
Cyclic voltammetry
cyclic voltammetry response of coprecipitated $Ni(OH)_2$ electrode in 5 M KOH solution, 47

Elsevier Science S.A.
rapid electrochemical characterization of battery electrode materials in the solid state, 157

Design
the design and construction of high-performance direct methanol fuel cells. 1. Liquid-feed systems, 113
Deterioration
using a pulse-current technique and measured resistance to evaluate the capacity of trickle-charged nickel/cadmium cells, 89
Direct methanol fuel cells
the design and construction of high-performance direct methanol fuel cells. 1. Liquid-feed systems, 113
the design and construction of high-performance direct methanol fuel cells. 2. Vapour-feed systems, 125

Electric vehicles
collaborative investigation on charging electic-vehicle battery systems for night-time load levelling by Japanese electric power companies, 103
Electrocatalysis
preparation of manganese dioxide using Ag^+ ions as an electrocatalyst, 81
Electrocatalysts
development of porous carbon electrodes for direct methanol fuel cells, 75
electrocatalytic activity of some metal phthalocyanine compounds for oxygen reduction in phosphoric acid, 161
Electrochemical performance
effect of alloying elements on the copper-base anode for molten carbonate fuel cells, 55
Electrodes
rapid electrochemical characterization of battery electrode materials in the solid state, 157
Electrolyte decomposition
materials' effects on the elevated and room temperature performance of $C/LiMn_2O_4$ Li-ion batteries, 11
Electrolyte loss
using a pulse-current technique and measured resistance to evaluate the capacity of trickle-charged nickel/cadmium cells, 89

Friction force microscopy
investigation of graphite composite anode surfaces by atomic force microscopy and related techniques, 97
Fuel cells
thermal decomposition of PVB (polyvinyl butyral) binder in the matrix and electrolyte of molten carbonate fuel cells, 61
development of porous carbon electrodes for direct methanol fuel cells, 75
the design and construction of high-performance direct methanol fuel cells. 1. Liquid-feed systems, 113
the design and construction of high-performance direct methanol fuel cells. 2. Vapour-feed systems, 125

electrocatalytic activity of some metal phthalocyanine compounds for oxygen reduction in phosphoric acid, 161

Gas chromatography
thermal decomposition of PVB (polyvinyl butyral) binder in the matrix and electrolyte of molten carbonate fuel cells, 61
Graphite
investigation of graphite composite anode surfaces by atomic force microscopy and related techniques, 97
foliated natural graphite as the anode material for rechargeable lithium-ion cells, 165

Integrated air pre-heater
the benefit of solid oxide fuel cells with integrated air pre-heater, 1
Iron deposits
chemical, physical and morphological characterization of the electrodeposited iron fragile layer on aluminum substrate, 37

Lanthanum hydroxide
effects of lanthanum and neodymium hydroxides on secondary alkaline zinc electrode, 169
Lead/acid batteries
a method for evaluating the performance of positive electrode grids of lead/acid batteries, 69
collaborative investigation on charging electic-vehicle battery systems for night-time load levelling by Japanese electric power companies, 103
Liquid-feed systems
the design and construction of high-performance direct methanol fuel cells. 1. Liquid-feed systems, 113
Lithium
rapid electrochemical characterization of battery electrode materials in the solid state, 157
Lithium cells
conductivity of lithium imide in mixed aprotic solvents for lithium cells, 41
Lithium imide
conductivity of lithium imide in mixed aprotic solvents for lithium cells, 41
Lithium-ion batteries
materials' effects on the elevated and room temperature performance of $C/LiMn_2O_4$ Li-ion batteries, 11
investigation of graphite composite anode surfaces by atomic force microscopy and related techniques, 97
Lithium manganese oxides
extraction of lithium from spinel phases of the system $Li_{1+x}Mn_{2-x}O_{4-\delta}$, 145
Lithum-ion cells
foliated natural graphite as the anode material for rechargeable lithium-ion cells, 165

Manganese
cyclic voltammetry response of coprecipitated $Ni(OH)_2$ electrode in 5 M KOH solution, 47
rapid electrochemical characterization of battery electrode materials in the solid state, 157
Manganese dioxide
preparation of manganese dioxide using Ag^+ ions as an electrocatalyst, 81
the effect of alkaline earth titanates on the rechargeability of manganese dioxide in alkaline electrolyte, 137
Manganese dissolution
materials' effects on the elevated and room temperature performance of $C/LiMn_2O_4$ Li-ion batteries, 11
Materials' effects
materials' effects on the elevated and room temperature performance of $C/LiMn_2O_4$ Li-ion batteries, 11
Methanol
development of porous carbon electrodes for direct methanol fuel cells, 75
Molten carbonate fuel cells
effect of alloying elements on the copper-base anode for molten carbonate fuel cells, 55

Neodymium hydroxide
effects of lanthanum and neodymium hydroxides on secondary alkaline zinc electrode, 169
Nickel/cadmium cells
using a pulse-current technique and measured resistance to evaluate the capacity of trickle-charged nickel/cadmium cells, 89
Nickel-cadmium batteries
orbital performance of AMPTE/CCE nickel–cadmium batteries with a large number of charger-induced, very small, charge/discharge cycles, 27
Nickel hydroxide electrodes
cyclic voltammetry response of coprecipitated $Ni(OH)_2$ electrode in 5 M KOH solution, 47

Orbital performance
orbital performance of AMPTE/CCE nickel–cadmium batteries with a large number of charger-induced, very small, charge/discharge cycles, 27
Oxygen reduction
electrocatalytic activity of some metal phthalocyanine compounds for oxygen reduction in phosphoric acid, 161

Particle growth
collaborative investigation on charging electic-vehicle battery systems for night-time load levelling by Japanese electric power companies, 103
Phosphoric acid
electrocatalytic activity of some metal phthalocyanine compounds for oxygen reduction in phosphoric acid, 161
Phthalocyanine
electrocatalytic activity of some metal phthalocyanine compounds for oxygen reduction in phosphoric acid, 161
Platinum
development of porous carbon electrodes for direct methanol fuel cells, 75
Polyvinyl butyral
thermal decomposition of PVB (polyvinyl butyral) binder in the matrix and electrolyte of molten carbonate fuel cells, 61
Polyvinyl difluorofluoride
investigation of graphite composite anode surfaces by atomic force microscopy and related techniques, 97
Positive electrode grids
a method for evaluating the performance of positive electrode grids of lead/acid batteries, 69
Pulse-charging
using a pulse-current technique and measured resistance to evaluate the capacity of trickle-charged nickel/cadmium cells, 89

Rare earth elements
effects of lanthanum and neodymium hydroxides on secondary alkaline zinc electrode, 169
Rechargeable batteries
effects of lanthanum and neodymium hydroxides on secondary alkaline zinc electrode, 169
Resistance
using a pulse-current technique and measured resistance to evaluate the capacity of trickle-charged nickel/cadmium cells, 89
Ruthenium
development of porous carbon electrodes for direct methanol fuel cells, 75

Scanning probe microscopy
investigation of graphite composite anode surfaces by atomic force microscopy and related techniques, 97
Silver ions
preparation of manganese dioxide using Ag^+ ions as an electrocatalyst, 81
Simulation
the benefit of solid oxide fuel cells with integrated air pre-heater, 1
Sintering
effect of alloying elements on the copper-base anode for molten carbonate fuel cells, 55
Solid oxide fuel cells
the benefit of solid oxide fuel cells with integrated air pre-heater, 1
Solid-state electrochemistry
rapid electrochemical characterization of battery electrode materials in the solid state, 157
Spinel
extraction of lithium from spinel phases of the system $Li_{1+x}Mn_{2-x}O_{4-\delta}$, 145
Thermal decomposition
thermal decomposition of PVB (polyvinyl butyral) binder in the matrix and electrolyte of molten carbonate fuel cells, 61
Trickle-charge
using a pulse-current technique and measured resistance to evaluate the capacity of trickle-charged nickel/cadmium cells, 89

Valve-regulated lead/acid batteries
collaborative investigation on charging electic-vehicle battery systems for night-time load levelling by Japanese electric power companies, 103
Vapour-feed systems
the design and construction of high-performance direct methanol fuel cells. 2. Vapour-feed systems, 125

Zinc
cyclic voltammetry response of coprecipitated $Ni(OH)_2$ electrode in 5 M KOH solution, 47
Zinc electrodes
effects of lanthanum and neodymium hydroxides on secondary alkaline zinc electrode, 169